

Psychological Statistics

Hypothesis Testing



What We Will Cover in This Section

- Introduction.
- Logic of hypothesis testing.
- Errors.
- Types of hypothesis tests.
- Tails of Tales.



What is hypothesis testing?

A set of logical and statistical guidelines used to make decisions from sample statistics to population characteristics.

Types of Hypotheses

- Research hypothesis.
- Logical hypotheses.
 - Null hypothesis (H_0).
 - Alternative hypothesis (H_a).
- Statistical hypothesis.

Research Hypothesis

Statement in words as to what the investigator expects to find.

Example.

Students who drink caffeine will be able to memorize information faster than students who do not drink caffeine.

Logical Hypotheses

Null Hypothesis (H_0).

Statement that the treatment does not have the expected effect.

Alternative Hypothesis (H_a).

Statement that the treatment had the expected effect.

Characteristics of the Logical Hypotheses

1. They are mutually exclusive.
2. They are mutually exhaustive.

10/14/2003

P225 Hypothesis Testing

7

Caffeine Example

- H_0
Students who drink caffeine will not be able to memorize information faster than people who do not drink caffeine.
 - Non-caffeine and caffeine drinkers are the same.
 - Non-caffeine drinkers are faster.
- H_a
Students who drink caffeine will memorize information faster than those who do not drink caffeine.

10/14/2003

P225 Hypothesis Testing

8

Statistical Hypotheses

Statement in statistical terms as to what would be found if the research hypothesis is true.

Example.

$$M_a > M_b$$

$$M_a > M_b \text{ or } M_a < M_b$$

10/14/2003

P225 Hypothesis Testing

9

Caffeine Example, AGAIN!

$$H_a: M_{\text{caffeine}} < M_{\text{no caffeine}}$$

$$H_o: M_{\text{caffeine}} = M_{\text{no caffeine}}$$

or

$$M_{\text{caffeine}} > M_{\text{no caffeine}}$$

10/14/2003

P225 Hypothesis Testing

10

Decision Making Criteria


1. Since we are dealing with sampling error there is always a possibility that differences we find could have happened by chance.
2. We make statistical inferences based on the probability that the results may or may not have happened by chance.
3. Our model for making this decision is founded on the normal distribution.

10/14/2003

P225 Hypothesis Testing

11

How the Decision Works



10/14/2003

P225 Hypothesis Testing

12

Decision Steps

1. We start by **assuming that the Null Hypothesis is true**.
2. When a statistical **result is rare** we conclude that it probably did not happen by chance.
3. If we conclude that a result did not happen by chance (e.g. it is rare), we **reject H_0** .
4. The only option is to conclude that the true state of affairs is represented by H_a .

10/14/2003

P225 Hypothesis Testing

13







10/14/2003

P225 Hypothesis Testing

14

Outcomes of the Statistical Decision

		Actual Situation	
		No Predicted Effect (H_0 True)	Predicted Effect (H_0 False)
Experimenter's Decision	Reject H_0	Type I Error 	Correct Decision 
	Retain H_0	Correct Decision 	Type II Error 


10/14/2003

P225 Hypothesis Testing

15

Alpha Level

The probability that a statistical test will lead to a Type I error.



10/14/2003

P225 Hypothesis Testing

16

A Tale of Tails

One-tailed test.

Researcher makes a prediction that one group will be bigger than the other.

Two-tailed test.

Researcher makes a prediction that the groups will be different, but does not state which will be bigger.

10/14/2003

P225 Hypothesis Testing

17

A Tale of Tails

Above what z-score do 5% of the cases fall? ($\alpha = .05$)	1.64
Below what z-score do 1% of the scores fall? ($\alpha = .05$)	2.33
Between which two z-scores do 95% of the cases fall? ($\alpha = .01$)	1.96
Between which two z-scores do 99% of the cases fall? ($\alpha = .01$)	2.58

10/14/2003

P225 Hypothesis Testing

18

Key Learning Points #1

1. Science is conservative.
2. We assume that the research hypothesis is invalid until the evidence is so strong that we must conclude that it is true.
3. We statistically 'test' the assumption that the research hypothesis is not true.
4. If the data are so strong that we believe that they could not have happened by chance, then we reject H_0 .

10/14/2003

P225 Hypothesis Testing

19

Key Learning Points #2

5. Since our decisions are based on probability theory not absolute surety, we can make mistakes.
6. The probability of concluding that the research hypothesis is correct when it isn't (rejecting H_0 when it is true) is represented by alpha (α).
7. The probability of failing to find a result when there is one is represented by beta (β).

10/14/2003

P225 Hypothesis Testing

20

The End

10/14/2003

P225 Hypothesis Testing

21
